Resiliency and Sustainability Advisory Committee Meeting

June 1, 2023

Welcome and Moment of Silence

By: Mayor John Tecklenburg, Chairman

Agenda

1.	Welcome, Moment of Silence	Mayor John Tecklenburg
2.	Resilience Updates: Flooding and Sea Level Rise Strategy Slab on Grade Ordinance	Dale Morris
3.	Sustainability Updates: First EV's and Fleet Transition Plan Compost Program	Katie McKain
4.	Extreme Heat Initiatives	Kaylan Koszela & Janice Barnes, Climate Adaptation Partners
5.	Review and Discuss Draft Sustainable Event Guide	Katie McKain
6.	Review and Discuss Draft of Electric Vehicle Infrastructure Policy in New Construction	Katie McKain
7.	Public Comment Period*	

Resilience Updates

By: Dale Morris, Chief Resilience Officer

Resilience Status Updates

1. Flooding and Sea Level Rise Strategy
2. Slab on Grade Ordinance in 100-year Floodplain

Sustainability Updates

By: Katie McKain, Director of Sustainability

Sustainability Status Updates

1. First EVs and Fleet Transition Plan
2. Compost program updates

Two All Electric Nissan Leafs Added to Fleet

1. Mail Courier
2. Planning Department

Planning for an Electric Fleet: Completed Steps

- Education on EVs and charging infrastructure needs
- Analyzed basic fleet data
- Purchased first two EVs to test new protocols
- Trained staff and created Training Guide
- Identified funding to perform Fleet Transition Plan

Planning for an Electric Fleet: Current Steps

- Analyzing detailed **fleet data** on sedans
- Updating our **goal** so it is time based and measurable
    a. Aiming for a light duty sedan goal



Planning for an Electric Fleet: Future Steps

- Complete a **Fleet Transition Plan** (summer 2023)
- **EV charging stations** for fleet (ongoing)
- Apply for Federal Funding to **implement** first few years of Fleet Transition Plan (2024)

Charleston Composts

13 Drop Sites Open

CHARLESTON COMPOSTS

Program grew to 6 City hosted sites

Partners host 7 others:

Chs. County-1

Folly Beach-1

Isle of Palms-2

Mount Pleasant-3

Education & Outreach Efforts



CHARLESTON COMPOSTS

7 Training Workshops

7 locations

500 People

Education & Outreach Efforts

CHARLESTON COMPOSTS

Trained vendors at both City farmers markets

Hosted table at WAFM for 3 weeks talking with residents too

Attended 3 Earth Day Fairs

Education & Outreach Efforts

CHARLESTON COMPOSTS

3 Tours of the Bees Ferry Compost Facility

150 people

Free compost

Videos on social media

Signage Installed

CHARLESTON COMPOSTS

Installing permanent signs at new City drop sites

Daniel Island Drop Site

Data To Date



CHARLESTON COMPOSTS

Over 1,750 Households participating

Data To Date



CHARLESTON COMPOSTS

Over 50 tons diverted in 2022!

34.7 tons diverted in 4 months

Goal is 150 tons in 2023

Future

CHARLESTON COMPOSTS

1. Create corporate sponsorship program to fund more drop sites

2. Organize a Pumpkin Smash and more options for pumpkin composting

Extreme Heat Efforts

By: Kaylan Koszela, Communications and Projects Manager

\+ Janice Barnes, Climate Adaptation Partners

Charleston Extreme Heat Initiatives Overview

Janice Barnes, PhD

Climate Adaptation Partners

June 1, 2023

climate adaptation partners
resilience through collaborative partnerships

#SharingIsCaring

A Coalition Around Heat Research in Charleston, South Carolina

Climate Adaptation Partners
Charleston Medical District
City of Charleston Office of Sustainability and Resilience
MUSC Office of Sustainability
Roper St. Francis Healthcare
Ralph H. Johnson VA Medical Center
Fernleaf Interactive
MUSC Office of Health Promotion
City of Charleston Wellness Committee
South Carolina Sea Grant
Carolinas Integrated Sciences Assessment
The Citadel James B. Near Center for Climate Studies
Southeast Regional Climate Center
North Carolina State University
Appalachian State

MUSC Arboretum
Charleston Resilience Network
Charleston Healthy Business Coalition
CAPA Strategies
NOAA NIHHIS Team
South Carolina Department of Health and Environmental Control
South Carolina Health Professionals for Climate Action
South Carolina Interfaith Power and Light
College of Charleston
Clemson University
South Carolina Aquarium
City of Charleston Planning
MUSC School of Nursing
MUSC Medical School
University of South Carolina

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston Heat Research

1 CMD Heat Research

2 CISA Heat Research

3 HeatWatch Research

4 Expanding and Sharing Research

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston Heat Research

1 CMD Heat Research

Used LANDSAT to spatialize hot areas

Janice Barnes, Climate Adaptation Partners
Leo Temko, Climate Adaptation Partners

Used FLIR and GPS to visualize materials that amplify heat

Hosted Heat Charrette at Charleston Medical District

Dennis Frazier, Charleston Medical District
Rick McMahon, Ralph Johnson VA Medical Center
Ken Hill, Roper St. Francis Hospital
Christine von Kolnitz, MUSC
Ray Huff, Clemson
Mark Wilbert, City of Charleston CRO (formerly)
Steve Hargett, Charleston Medical District (retired CFO MUSC)
Dr. Susan Johnson, MUSC Director, Office of Health Promotion, member of City Wellness Committee

Kirstin Dow, USC
Chip Konrad, UNC-Chapel Hill

City of Charleston
Fernleaf

2 CISA Heat Research

3 HeatWatch Research

4 Expanding and Sharing Research

Charleston Vulnerabilities Assessment



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Rising Waters





Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Upcoming Projects

+$2 billion @ CMD

MUSC Replacement Hospital

VA Bed Tower, Garage and Upgrades

+ USACE

+ City Projects

+ SC DoT

+ West Edge



Rising Heat



Source: US Climate Resilience Toolkit / Dr. Kirstin Dow / CISA

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Heat is Deadly

In the south, heat is a given, **but it's getting hotter than it used to be**.

Increased heat exposure impacts health.

Heat kills more people annually than any other weather hazard.



IMAGE CREDIT: NWS

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Investment Service Life



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Surface Temperature

Landsat 8 Operational Land Imager (OLI)

NDVI

- Band 4: Red
- Band 5: Near Infrared

Land Surface Temperature

- Band 10: Thermal Infrared Sensor (TIRS1)



FLIR ONE Gen 3

Outputs

Relative comparison

Surface temperature

Accuracy of +/- 5%

Range -20C-+120C

Limitations

Single Surface only

Battery Life / Circuit Impact

Image Registration

ArcGIS Collector + Bad Elf GPS Pro

Outputs

Geolocated survey points

Custom web-enabled app

Web-hosted geospatial layer ready for GIS processing

Limitations

2.5m Stationary Accuracy

Environmental obstructions can limit accuracy

Surface Temperature Points

27 AUGUST 2020	12 am	6 am	12 pm	6 pm
TEMPERATURE deg. f (high)	75	88	91	90
WIND mph (direction)	1 (nne)	2 (w)	9 (w)	8 (ssw)
HUMIDITY %	94	82	63	80

Historical weather data sourced from timeanddate.com



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Doughty Street & Greenway



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Memorial Garden & Drug Discovery-BioEngineering Plaza





Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Urban Farm



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Bee Street



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Material Type / Temperature Distribution



~40 degree surface temperature differential

Summer 2020 Charleston Medical District Charrettes

How is heat addressed?

NEMAC+FernLeaf



Vulnerability to Extreme Heat

Key Indicators for the Medical District area:

- Highly developed (more than 70%)
- Sensitive populations (54% households with members 65+ or under 18)
- Low tree canopy (less than 6% area with significant coverage)
- Moderate Socioeconomic Status vulnerability (CDC)

Note: Does not consider populations *served* within the Medical District



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston Heat Research

1 CMD Heat Research

2 **CISA Heat Research**

3 HeatWatch Research

4 Expanding and Sharing Research

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

CISA Heat Research: Measuring Personal Temperature Exposure & WBGT

Thermochron or Hydrochron iButton

GPS and Heart Rate Data at the Individual Level

Three Groups of Outdoor Workers

Hand-held device that estimates wet bulb globe thermometer

WBGT Pilot Sites

Charleston Heat Research

1 CMD Heat Research

2 **CISA Heat Research**

3 HeatWatch Research

4 Expanding and Sharing Research

Used ibuttons and gps-enabled watches to monitor participant heart rate during workhours across four weeks

Used wet bulb globe temperature (WBGT) device to measure temperature, humidity and wind speed at designated areas across a number of days

PI: Dr. Kirstin Dow, USC
Stafford Mullin
Grant Farmer
Dr. Jen Runkle, NC State
Dr. Maggie Sugg, Appalachian State

MUSC
Dr. Jerry Reves, MUSC
Robin Smith, MUSC Arboretum and Grounds
Major Dorothy Simmons, MUSC Public Safety
Christine Von Kolnitz, Director of MUSC Sustainability and Recycling

The Citadel
Dr. Scott Curtis, The Citadel James B Near Center for Climate Studies
Jonathan Lewellyn, The Citadel Grounds

Climate Adaptation Partners
Janice Barnes
Leo Temko



Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC

Jennifer Runkle, PhD, MSPH jrrunkle@ncsu.edu Maggie Sugg, PhD kovachmm@appstate.edu

Measuring Heat Index Exposure

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)



Heat Index → Takes into account temperature + relative humidity

Often measured at **weather stations** at airports or removed from city centers

Continuous Monitoring of Personal Heat Index in an Occupationally Exposed Population

3 groups of participants
8,500 observations

Examine exposure misclassification relative to HeatWatch and Weather Station

- Quantity heat exposure metrics (intensity, frequency, and duration) and health effects
- Compare individual experienced temperatures with data from UHI campaign in Charleston



Key Messages

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)

We observed that on average, **worker's personal ambient temperature experience was higher than that recorded at the local weather station**. This was especially true for maximum temperature (the highest temperature recorded for a given day).

Summary of The Citadel Results

Below is the daily temperature exposure for **Week #1** for all participants combined (first column) and for the local weather station (second column):

	Monday 7/19		Tuesday 7/20		Wednesday 7/21		Thursday 7/22		Friday 7/23	
Average Temperature	**77.7°**	81.5°	**77.8°**	82.5°	**78.1°**	83.5°	**78.3°**	85.0°	**78.3°**	84.0°
Max Temperature	**97.8°**	87.0°	**97.8°**	88.0°	**97.7°**	90.0°	**97.8°**	90.0°	**97.8°**	89.0°
Minimum Temperature	**62.8°**	76.0°	**62.8°**	77.0°	**62.8°**	77.0°	**65.5°**	80.0°	**66.3°**	79.0°

All Participants | Weather Station

Key Messages

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)

We observed on average **worker's personal heat index experience was higher than the local weather station**. However, these differences between worker and weather station heat index values were not as high as the temperature.



Key Messages

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)

Personal temperatures and heat index **values were highest for grounds workers**, particularly at MUSC.

Distribution of Heat Index by Location



Key Messages

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)

We also noted that the **average recorded heat index values for CB and MG were 85F or higher**.

According to the National Institute for Occupational Safety and Health (NIOSH), **heightened heat prevention measures should be triggered for workers**.



Temperatures modelled based on observations from hydrochron temperature and humidity sensors worn by volunteers July 18-31, 2021

Key Messages

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)

We noted that workers **were shifting their workday to include more work outdoors in the earlier parts of the workday**.

Distribution of Heat Index by Time



NIOSH Recommendations

From: Local Heat-health Monitoring in Outdoor Workers: Results from a Participatory Sensing Study in Charleston, SC (Runkle and Sugg, 2022)

https://www.cdc.gov/niosh/docs/2016-106/

There are a number of ways workers can protect themselves from extreme heat including:

Leadership

1. **Limit time in the heat and/or increase recovery time** in a cool environment
2. **Reduce energy expenditure** demands of the job to generally cooler times of the day
3. **Conduct trainings** about heat stress and how to recognize the signs/symptoms at work
4. **Increase rest breaks and shorten work periods** during extreme heat periods
5. Develop and use **heat acclimatization plan** at work
6. Implement a **buddy system** where workers observe each other for signs of heat intolerance
7. Require workers to conduct **self-monitoring**

Personal

1. **Increase physical fitness** outside of work
2. **Drink water frequently**

Charleston Heat Research

1 CMD Heat Research

2 CISA Heat Research

Used ibuttons and gps-enabled watches to monitor participant heart rate during workhours across four weeks

PI: Dr. Kirstin Dow, USC
Stafford Mullin
Grant Farmer
Dr. Jen Runkle, NC State
Dr. Maggie Sugg, Appalachian State

Used wet bulb globe temperature (WBGT) device to measure temperature, humidity and wind speed at designated areas across a number of days

PI: Dr. Chip Konrad, UNC Chapel Hill
Jordan Clark
Stafford Mullin
Grant Farmer
Student Volunteers

3 HeatWatch Research

4 Expanding and Sharing Research

Patterns of Heat Stress Across the Landscape and Its Measurement using Wet Bulb Globe Temperature

Dr. Chip Konrad

Director of the NOAA Southeast Regional Climate Center

Carolina Integrated Science and Assessments Program (CISA)

Professor, Department of Geography

University of North Carolina at Chapel Hill

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting

June 01, 2023

climate adaptation partners

resilience through collaborative partnerships

Measures of Heat Stress

1. Air temperature
2. Humidity

Heat Index

3. Wind speed
4. Solar Radiation

Wet-Bulb Globe Temperature (WBGT)

WBGT THRESHOLDS: High School Athletics Associations

Many states have developed requirements for high school sports practice

WBGT Activity Guidelines and Rest/Break Guidelines for Athletes

Heat Category	WBGT Index (F)	Activity Guidelines
No Flag	Under 82	Normal activities
Low (Green Flag)	82-86.9	Three (3) separate four (4) minute rest breaks per hour of activity
Moderate (Yellow Flag)	87-89.9	Maximum two (2) hour activity time. Four (4) separate four (4) minute rest breaks per hour of activity. For football, student-athletes are restricted to helmet, shoulder pads and shorts during activity.
High (Red Flag)	90-91.9	Maximum one (1) hour activity time. Five (5) separate four (4) minute rest breaks. No protective equipment permitted. No conditioning activities permitted.
Extreme (Black Flag)	Over 92	No outdoor activities



Source: Georgia, South Carolina, and Florida High School Athletics Association

WBGT THRESHOLDS: United States Military

WBGT Activity Guidelines and Rest/Break Guidelines for Athletes

Heat Category	WBGT Index (F)	Activity Guidelines
No Flag	Under 80	Normal Activities
Low (Green Flag)	80-84.9	Discretion required in planning heavy exercise for unseasoned personnel. This is a marginal heat stress limit for all presonnel.
Moderate (Yellow Flag)	85-87.9	Strenuous exercise and activity should be curtailed for new and unacclimated personnel during first 3 weeks of heat exposure.
High (Red Flag)	88-89.9	Strenuous exercise curtailed for all personnel with less than 12 weeks training in hot weather.
Extreme (Black Flag)	Over 90	Physical training and strenuous exercise suspended for all personnel



Source: U.S Military Heat Stress Index

WBGT THRESHOLDS: American Academy of Pediatrics

WBGT Activity Guidelines and Rest/Break Guidelines for Athletes

Heat Category	WBGT Index (F)	Activity Guidelines
No Flag	Under 71	All activties allowed, but be alert for prodromes of heat-related illness in prolonged events
Low (Green Flag)	71-74.9	All activties allowed, but be alert for prodromes of heat-related illness in prolonged events
Moderate (Yellow Flag)	75-78.9	Longer rest periods in the shade; enforce drinking every 15 minutes
High (Red Flag)	79-84.9	Stop activity of unacclimatized persons and other persons with high risk; limit activities of all others (disallow long-distance races, cut down further duration of other activities)
Extreme (Black Flag)	Over 85	Cancel all athletic activities



Source: American Academy of Pediatrics

Local patterns of heat stress (WBGT) across a landscape

1. Surface type

Asphalt/concrete is hottest, especially if it is dark colored.
Artificial turf is hotter, but natural grass is hot.

2. Degree of shade

Surfaces that have been shaded most of day are the coolest.
(e.g. north side of quad)

3. Openness of landscape

Closed (lots of trees/buildings nearby) -Hottest (lowest wind speeds)
Open (few trees/buildings) – Coolest (highest wind speeds)


Less Wind = Higher WBGT
Wind Deflecting Off Building
Wind Blocked
Physicians Eyecare Network
Strom Thurmond Research Building
Gazes Cardiac Research Institute
Courtenay Dr
Ehrhardt St
Doughty St
MUSC Health Benign Hematology at Ashley...
Ashley River Tower
MUSC Health Gastroenterology at...
South Carolina Federal Credit Union ATM
Medical University of South Carolina



Maximum WBGT at each location

WBGT (°F)

- ≤76.9
- ≤84.6
- ≤88.8
- ≤92.7
- ≤93.6
- ≤94.8
- ≤95.7

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston Heat Research

1 CMD Heat Research

2 CISA Heat Research

3 HeatWatch Research

4 Expanding and Sharing Research

Lead Organization(s)

- City of Charleston, Climate Adaptation Partners

Partner Organizations

- Medical University of South Carolina Arboretum
- Citadel James B. Near Center for Climate Studies
- Charleston Resilience Network (Over 120 organizations)
- Charleston Medical District
- South Carolina Interfaith Power and Light
- Carolinas Integrated Sciences and Assessments
- Medical University of South Carolina Institute for Air Quality Studies
- Medical University of South Carolina Office of Health Promotion
- Medical University of South Carolina Sustainability Office
- National Weather Service Charleston

Used car-mounted devices to measure temperature and humidity on one representative day



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston HeatWatch

Driving Team
Simon and Darla Ghanat
Lyndsey and Matthew Davis
Susan and Greg Lovelace
Catherine Parker and Ben Stone
Deidre Ragan and Aidan Ragan Fillippa
Will McCloud
Grant Farmer
Rebecca Starkey
Al Harpring
Scott Curtis
Bonnie Ertel
Darcy Everett
Christine von Kolnitz
Pamela Ferguson
Andrea Forgacs
Kweku Brown
Emma Larsen

FLIR Team
Shawn McKay
Amanda Mushal
Stewart Weinberg
Starr Hazard

CAPA

Media

HEAT WATCH



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston HeatWatch

Coverage Area
NOAA Funding for 100 SM
10 Traverses @10 SM / Traverse

Initial Charleston screening
excluding water and wetlands
~69 SM
Remainder for North Charleston adjoining area

Data Collection
July 31, 2021
Morning, Afternoon, Evening Traverses

Volunteers
10 Driving Teams
3 FLIR Teams
1 Coordinating Team



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Charleston Area Heat Watch Context

Life Expectancy at Birth

Grid - 1 Square Mile

CHS HeatWatch Study Area

CHS Life Expectancy at Birth

CDC Life Expectancy (census tract)

- 67 yr - 73 yr
- 74 yr - 76 yr
- 77 yr - 79 yr
- 80 yr - 81 yr
- 82 yr - 86 yr
- no data



MEDIAN INCOME DATA
U.S. Census Bureau's American Community Survey (ACS) 2015-2019 5-year estimates, Table(s) B19013B, B19013C, B19013D, B19013E, B19013F, B19013G, B19013H, B19013I, B19049, B19053

HEALTH INSURANCE COVERAGE DATA
U.S. Census Bureau's American Community Survey (ACS) 2015-2019 5-year estimates, Table(s) B27010

POPULATION DATA
U.S. Census Bureau's American Community Survey (ACS) 2015-2019 5-year estimates, Table(s) B01001

EDUCATION DATA
U.S. Census Bureau's American Community Survey (ACS) 2015-2019 5-year estimates, Table(s) 3

ELEVATION DATA
U.S. Geological Survey, 2019, 3D Elevation Program 3-Meter Resolution Digital Elevation Model, accessed April 16, 2021 at URL https://www.usgs.gov/core-science-systems/ngp/3dep/data-tools

CDC SVI DATA
Centers for Disease Control and Prevention/ Agency for Toxic Substances and Disease Registry/ Geospatial Research, Analysis, and Services Program. CDC Social Vulnerability Index 2018 Database US. https://www.atsdr.cdc.gov/placeandhealth/svi/data_documentation_download.html. Accessed 04/2021

LIFE EXPECTANCY DATA
National Center for Health Statistics. U.S. Small-Area Life Expectancy Estimates Project (USALEEP): Life Expectancy Estimates File for (Jurisdiction), 2010-2015]. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nvss/usaleep/usaleep.html.

LANDCOVER & NEIGHBORHOOD DATA
City of Charleston GIS

climate adaptation partners
resilience through collaborative partnerships

IMAGE CREDIT: Climate Adaptation Partners

HeatWatch Results



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HeatWatch Summary

1. More effect of density of development
2. Peninsula was far warmer
3. Conserved Forest was cooler and offered a bigger impact on cooling than water bodies
4. No effect of swampy areas versus regular forest



Open Science Forum
https://osf.io/b4tfy/

City of Charleston GIS Team
https://www.charleston-sc.gov/2513/HeatWatch-Charleston-2021



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HeatWatch Summary



Charleston Heat Research

1 CMD Heat Research

2 CISA Heat Research

3 HeatWatch Research

4 Expanding and Sharing Research

City of Charleston Resilience, GIS, and Planning Departments
Climate Adaptation Partners
University of South Carolina
The Citadel James B. Near Center for Climate Studies
South Carolina Sea Grant
UNC-Chapel Hill
MUSC Sustainability, Office of Health Promotion, Nursing, Epidemiology, Emergency Department, and Arboretum
National Weather Service Charleston
State of South Carolina Meteorology Office

NOAA NIHHIS and Pilot Research Team
City of Miami
City of Phoenix
City of Las Vegas
Drexel University

City of Philadelphia
City of Columbus

NOAA Pilot Project

Journal Publications
Philly & Columbia HeatWatch

NOAA Pilot Project

Sea Grant | S.C. SEA GRANT CONSORTIUM
Coastal Science Serving South Carolina

About · Research · Extension · Education · Funding · For Students · Publications · News and Events

Charleston Heat-Health Research Project

The Charleston Heat-Health Research Project (CHHRP) was created by a group of health professionals, climate scientists, city planners, students and researchers to learn more about heat impacts in the community.

LEARN ABOUT THE PROJECT

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Why is the NATIONAL OCEANIC & ATMOSPHERIC ADMINISTRATION (NOAA) sponsoring this work?

- Extreme heat is the number one weather related killer in the United States
- Heat-related health impacts likely will increase with climate change
- **Informed by Climate and Equity Roundtable Events, NOAA is working with four communities to understand heat health impacts and address community needs (in Charleston, Miami, Las Vegas, Phoenix)**

RESOURCES:

- National Integrated Heat Health Information System (NIHHIS)
- Interagency resource: Heat.gov



IMAGE CREDIT: CAPA Strategies

PARTNERS

Funding

Administration and Outreach

climate adaptation partners
resilience through collaborative partnerships

THE CITADEL
THE MILITARY COLLEGE OF SOUTH CAROLINA

MUSC Health
Medical University of South Carolina

HEAT SEASON DATA COLLECTION

IMAGE CREDIT: City of Charleston



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HEAT SEASON DATA COLLECTION

Near to the CMD, Gadsden Green is in a hot part of Charleston.

We hoped to better understand heat impacts by:

Phase 1 (LEARN):

- recording hot temperatures in the community
- identifying materials that make heat feel worse
- talking about how heat affects health

Phase 2 (ACT):

- identifying resources to help cope with heat
- finding solutions to help cool the environment



HEAT SEASON DATA COLLECTION

Figure 2: Gadsden Green Land Cover



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

HEAT SEASON DATA COLLECTION

ENVIRONMENTAL CONDITIONS DURING OBSERVATION

Atmospheric Readings were collected in Gadsden Green during the 09/04/2022 study

- 6am – 8am
  - 115 Observations
  - Average Air Temperature: 78° F
  - Average Relative Humidity: 90%
  - Average Heat Index: 87° F
- 2pm – 4pm
  - 140 Observations
  - Average Air Temperature: 89° F
  - Average Relative Humidity: 65%
  - Average Heat Index: 104° F



IMAGE CREDIT: National Weather Service

HEAT SEASON DATA COLLECTION

COLLECTION SITE

Data Collection focused on Gadsden Green and Gadsden Green Extension

- Four Kestrel WBGT Locations
- FLIR imagery focused on:

landscape	buildings
asphalt (roads)	**clay tile** (roofs)
concrete (sidewalks)	**shingles** (roofs)
grass (lawns)	**painted brick** (walls)
bare earth (dirt)	**unpainted brick** (walls)
sand (playgrounds)	**metal** (windows / doors)
mulch (plant areas)	**glass** (windows)
rubber (play surfaces)	**wood** (benches / fences)

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HEAT SEASON DATA COLLECTION

FLIR IMAGES FROM GADSDEN GREEN

- 223 FLIR Images Analyzed
- 13 Distinct Material Types were Captured
- 488 Unique Temperature Readings
- FLIR teams captured morning and afternoon images to match the WBGT observation periods
- FLIR teams captured sunny and shaded surfaces
- Temperatures reported are typically AVERAGES estimated across contiguous surface areas

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

This is a summary of temperature AVERAGES of various materials in Gadsden Green, including:

- temperature **averages** captured in the morning (blue line) and afternoon (red line)
- surfaces in (**sun)** and in (**shade)**

What does this tell us?



HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

Notice how the **average temperatures** of some materials observed in the **afternoon** vary significantly.

This diagram reinforces how important shade is to cooling. Shaded materials are significantly cooler than unshaded.

Average material temperatures varied as much as **24 degrees** between sun and shade.

IMAGE CREDIT: CAP



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

The next two images illustrate the surface temperature differences in **sunny** and **shaded** conditions.

This image of an **exposed stoop** in Gadsden Green shows grass, concrete, and brick in direct sun.

Note the temperature differences between the lighter-colored concrete and darker-colored concrete.



HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

This is a “Box and Whisker” plot showing the distribution of **afternoon** surface temperature **averages** that provides another way to look at the data.

Box and Whisker plots show where most of the collected temperatures fall (the box) as well as the highs and lows (the whiskers).

This illustrates how temperature values are clustered (showing trends and important deviations of those trends).



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

This image is from Gadsden Green and includes the two different roof types:

- The blue and red painted brick buildings have dark-colored **clay-tile** roofs.
- The green painted brick building has a dark-colored **asphalt-shingle** roof.

Note that the clay tile roof has a temperature of 120° and the asphalt shingle roof is much warmer at 139°

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

It's important to note that there can be significant variation between similar materials as well. This image shows two asphalt shingle roofs (one lighter and one darker)

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

It's important to note that there can be significant variation between similar materials as well. This image shows two asphalt shingle roofs (one lighter and one darker)

Note that the darker colored asphalt shingle roof is significantly warmer than the lighter asphalt shingle roof.

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

This image, from the Gadsden Green Extension playground, includes many different surface materials: healthy grass, wood chips / mulch, steel, and plastic.



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

HEAT SEASON DATA COLLECTION

SURFACE TEMPERATURES IN GADSDEN GREEN

Note that the wood chips / mulch areas are significantly warmer than the grass areas.

The hottest surfaces in this area are the plastic and steel surfaces.

But there is also another important principle illustrated by this image

The radiant heat emitted by the plastic is significantly increasing the surface temperature of the adjacent wood chips / mulch by nearly 20°



HEAT SEASON DATA COLLECTION

WBGT IN GADSDEN GREEN

Collection Period:

- September 4, 2022
- ~ 6-8 am and 2-4 pm
- Locations informed by community input

Counts (minute averages):

- ~120 am & ~120 pm

Analysis Process:

- Examine WBGT time series
- Examine WBGT components
- Compare published WBGT health "flag" thresholds



HEAT SEASON DATA COLLECTION

Community Involvement

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation pa
resilience through collaborative

HEAT SEASON DATA COLLECTION

OUTDOOR TEMPERATURE READINGS



Also: considering wind direction and cooling effect

*Flags are U.S. military standard

SHARING RESEARCH

Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Sharing Research

Providing Open Access GIS resources *for knowledge sharing*

NOAA

- [HeatWatch ArcGIS Resource]

Open Science Framework

- https://osf.io/b4tfy

City of Charleston

- HeatWatch
- Tree Canopy Tools App
- Street Tree Canopy Storymap

Sharing Research

Publishing Results *to build the knowledge base*

Journal of Biometeorology

Sugg, M.M., Runkle, J.D., Dow, K., Barnes, J., Pearce, J., Bossak, B., Curtis, S.

Individually experienced heat index in a coastal Southeastern US city among an occupationally exposed population.

Int J Biometeorol **66**, 1665–1681 (2022).
https://doi.org/10.1007/s00484-022-02309-y

Advances in Environmental Engineering

Larsen E, Ghanat S, Curtis S.

Experience with Active Learning: The Charleston, SC, USA Urban Heat Island Effect.

Adv Environ Eng Res **2022**;3(2):9

doi:10.21926/aeer.2202020.

Frontiers in Climate

Barnes, J. and Dow, K.

Water AND Heat: Intervening in Adaptation Hazard Bias

Frontiers in Climate, 29, June 2022

https://doi.org/10.3389/fclim.2022.868017

Sharing Research

***Starting Research on Health Outcomes** from Temperature (HOT)*

Retrospective Study

designed to produce a statewide temperature dose response curve. Temperature would be the variable of interest and death the outcome

Prospective Study

compares temperature and air quality with morbidity and mortality in Charleston - clinical data gathered from MUSC, Roper and Regional EMS and temperature and air quality from sensors and weather department

Collecting Existing Extreme Heat Resources

City of Charleston Resilience, GIS, and Planning Teams

MUSC Medical Professionals

Winter 2023 College of Charleston Intern



Charleston Extreme Heat Initiatives Overview

City of Charleston Resiliency and Sustainability Advisory Committee Meeting
June 01, 2023

climate adaptation partners
resilience through collaborative partnerships

Examples of Extreme Heat Strategies

Increase Awareness

- Heat-Health discussions with physicians
- Heat risk awareness campaign
- National Weather Service heat warning announcements
- Local news and social media emphasis on heat awareness
- Community Engagement Activities

Increase Coping Capacity

- Cooling Center access
- Air conditioner give-aways/subsidies
- Utility bill support
- Swimming pool and spray pads access
- Home weatherization programs
- Alternative work/play hours

Increase Mitigation

- Tree canopy expansion
- Green space expansion
- Depaving
- Heat reflective building materials
- Cool coatings on existing roads
- Air circulation via “breeze ways”

Increase Adaptation

- Cool corridor development
- Wind channeling to cool urban core areas
- Building code changes to integrate heat reduction
- Alternative paving strategies
- Microclimate management

Get Involved

Motivating Local Action *to Address Climate Impacts and Build Resilience*

Increase Awareness

Increase Coping Capacity

Increase Mitigation

Increase Adaptation

Proclamations Help!

Charleston Extreme Heat Initiatives Overview

Janice Barnes, PhD

Climate Adaptation Partners

June 1, 2023

climate adaptation partners
resilience through collaborative partnerships

Sustainable Event Guide

By: Katie McKain, Director of Sustainability

Sustainable Event Guide

- Special Event Manual nearly ready
  - Chapter in manual or appendix?
- Input on content and formatting is encouraged
  - Condensed checklist vs. spreading out over 8 pages?
  - More images
  - Facts
- Questions about permitting?



SUSTAINABLE EVENT BEST PRACTICES

ALL EVENTS MUST COMPLY WITH SINGLE-USE PLASTICS CODE

A CHECKLIST FOR HOSTING A SUSTAINABLE EVENT IN THE CITY OF CHARLESTON.

The City of Charleston expects events to be as sustainable as possible and encourages all events to check off as many items as possible. The actions with the highest impact are marked .

PLANNING

- ☐ Determine your objectives (what you want to achieve).
- ☐ Gather the support of stakeholders in developing and accomplishing your objectives.
- ☐ Establish a baseline (what your current impact is).
- ☐ Set targets and goals (where you want to get to). These goals should be "SMART": Specific, Measurable, Attainable, Relevant, and Time-Based. Ex. set a zero plastic goal, or a composting goal. Then keep this goal in mind when making decisions.
- ☐ Brainstorm actions (to get you there) with stakeholders.
- ☐ Make a plan (who, what, where and when).
- ☐ Publicize your plan. Put your environmental commitment for the event in writing, on your tickets or webpage.
- ☐ Put your plan into action and regularly check your progress and adjust actions to achieve your target.
- ☐ Plan to measure the impacts of your event. The data that you collect can be very powerful.
- ☐ Plan to report on outcomes after the event.

VENUE CHOICE

- ☐ Seek a venue located near public transportation options and accessible by walking, biking, etc.
- ☐ Pursue a site nearby bikeshare parking and electric vehicle charging spots whenever possible.
- ☐ Seek a venue that has energy efficient lighting, equipment, ventilation, water and appliances. Bonus if it is powered by clean energy or is carbon neutral

COMMUNICATION AND MARKETING

- ☐ Go paperless and utilize QR codes and apps for agendas and programs. Avoid paper handouts.
- ☐ Use electronic tickets sent via email as entry for the event. Include a reminder that printed tickets/RSVP are not required for entry.
- ☐ Advertise events on social media, through email, electronic billboards, radio, etc. to avoid unnecessary paper and mail carrier pollution.
- ☐ Post pictures of your sustainable event on social media.
- ☐ Design event materials, such as name tags, banners and signage, to be reused (without dates, locations, etc.).
- ☐ Communicate sustainability efforts clearly, especially waste disposal guidelines, to vendors, staff, and patrons.
- ☐ Recognize event partners who support your goals.
- ☐ Train event staff and vendors on all sustainability practices at the event, especially waste management.
- ☐ Have one volunteer in charge of all sustainable event operations including training all other volunteers, keeping an eye on water dispensers, lighting, and other resources, and ensuring the sustainability plan runs smoothly on the day of the event.
- ☐ Design signage/messages that encourage sustainable behavior from attendees throughout the event.

PURCHASING DECISIONS

- ☐ Prioritize supporting local businesses and purchasing locally made and seasonal products.

Review and Discuss Draft of Electric Vehicle Infrastructure Policy in New Construction

By: Katie McKain, Director of Sustainability

Goals and Reasoning

Promote increased charging infrastructure

Benefits of enacting a baseline Level 2 EV Ready requirement now:

- Prepares for increased reliance on EV in the future
- Saves money preparing upfront rather than retrofitting
- Aids flexibility in growth and adaptation



Applicability

- New construction projects
- Major external renovation projects (with parking modifications) on existing establishments

Levels of Charging

Level 1

Standard 120V Outlet

Averages about 5 miles per hour of charge

Electrical Capacity

Level 2

240V Outlet

Averages about 20-60 miles per hour of charge

Level 3

480V DC Fast Charging

Averages about 60-100 miles per hour of charge

Focus is Level 2

Types of Installation

EV-Capable:

- Electrical panel capacity
- Conduit from panel to parking space

EV-Ready:

All EV-Capable requirements plus…

- Wiring installed with termination in junction box or outlet at parking space

EVSE-Installed:

All EV-Ready requirements plus…

- Fully connected Level 2 chargers or DCFC
- Ready to charge a vehicle



Types of Installation

EV Parking Requirements Per Land Use

Land Use	Required EV-Capable spaces	Required EV-Ready spaces	Required EVSE-Installed spaces
1 or 2 dwelling units:		1 space per dwelling unit	
1 or 2 dwelling units of Affordable Housing:	1 space per dwelling unit		
3 or more dwelling units:	1 space per 4 spaces	1 space per 8 spaces	1 space per 25 spaces (minimum 2 spaces)
3 or more dwelling units of Affordable Housing:	1 space per 4 spaces		
Office and workplace: (greater than 25 spaces)	1 space per 4 spaces	1 space per 10 spaces	1 space per 40 spaces (minimum 2 spaces)
Retail: (greater than 25 spaces)	1 space per 4 spaces	1 space per 10 spaces	1 space per 50 spaces (minimum 2 spaces)
Accommodations:	1 space per 4 spaces	1 space per 15 spaces	1 space per 40 spaces (minimum 2 spaces)
Public parking facilities:	1 space per 4 spaces	2 spaces per 10 spaces	1 space per 100 spaces (minimum 2 spaces)

Public Comment Period